Interference Search

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	432	(password with (inactiv\$3 or expir\$3 or old or used)).clm.	US-PGPUB	OR	ON	2006/09/20 16:00
L2	200	(password with (activat\$3 or refresh\$3 or initial\$3 or reuse or reutiliz\$3 or reusing)).clm.	US-PGPUB	OR	ON	2006/09/20 16:02
L3	45	L1 and L2	US-PGPUB	OR	ON	2006/09/20 16:02
L4	48245	(certificate or signature or key\$3 or public or private or secret).clm.	US-PGPUB	OR	ON	2006/09/20 16:03
L5	31	L3 and L4	US-PGPUB	OR	ON	2006/09/20 16:03
L6	11	L5 and @ad<"20020117"	US-PGPUB	OR	ON	2006/09/20 16:03

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	8	(("6148404") or ("6732269") or ("6715072") or ("6782103")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 12:46
L4	0	L3 and (authenticat\$4 with match\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L5	1	L3 and (authenticat\$4 with different)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L6	2	L3 and (authenticat\$4 same (match\$4 or compar\$4 or different))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/09/20 12:46
L7	3	L3 and ((stor\$4 or kept\$4 or memory or retain\$4 or load\$4) with (seed\$4 or key\$4 or code or password))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L8	2	L3 and ((request\$4 or challeng\$4 or query\$4 or send\$4) with (seed\$4 or key\$4 or code or password))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L9	22	"6148404" "6732269" "6715072" "6782103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L10	11306	authentication near2 server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L15	5689	(private near2 key) and certificate and signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46

L12	51242	secur\$4 near2 (channel or port or socket)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L13	0	challenge and password and PIN and code and processsor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L14	7	challenge and processsor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L15	704	L10 and L11 and L12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L16	206	L15 and @ad<"20010117"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/09/20 12:46
L17	30509	secur\$4 with authenticat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L18	194	L16 and L17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L19	4807	L18(private with certificate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L20	96	L18 and (private with certificate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/09/20 12:46
L21	62	L20 and (signatur\$4 with authenticat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46

					<del></del>	
L22	43	L21 and ((activat\$4 or authoriz\$4 or validat\$4) with (PIN or password\$4 or code or key\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L23	103	726/9.ccls. and @ad<"20010117"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L24	46	L23 and (certificate or signature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L25	34	L24 and password\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L26	2796	(expir\$5 or inactiv\$5 or invalid\$5) with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L27	4660	(signatur\$4 or certificat\$5) with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L28	20125	privat\$5 with key\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L29	125	L26 and L27 and L28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L30	39	L29 and @ad<"20010117"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L31	9	("6490680").URPN.	USPAT	OR	ON	2006/09/20 12:46
L32	9	("6438550").URPN.	USPAT	OR	ON	2006/09/20 12:46

L33	2	"20020095569"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
134	389	713/155.ccls. and @ad<"20010117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L35	16	L34 and ((one near2 time near2 password) or OTP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/09/20 12:46
L36	2	("6983381").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 12:46
L37		"6715082"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L38	5	L37 and @ad<"20010117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L39	2	L38 and ((one near2 time near2 password) or OTP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L40	2	"6952781"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46

L41	2	"6952781" and ((one near2 time near2 password) or OTP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L42	2466	password with (activat\$5 or reactivat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L43	936	L42 and @ad<"20010117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L44	18005	(expir\$4 or inactiv\$4 or past or old or used or previous\$3) with password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L45	88	L43 and (key and public and private and signature and certificate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L46	68	L45 and L44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L47	339	activat\$5 with one with password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L48	17	"5768373"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46

L49	0	("(L6orL7)andL3").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 12:46
L50	348	L44 with (activat\$5 or reactivat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L51	126	L50 and @ad<"20010117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ,	2006/09/20 12:46
L52	13	L46 and password.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L53	177	726/2.ccls. and @ad<"20000117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:54
L54	14	L53 and password.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L55	61	activat\$5 with OTP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L56	13	L55 and @ad<"20000117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46

L57	14	L51 and (key and public and private and signature and certificate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L58	88	L47 and @ad<"20000117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L59	13	L48 and @ad<"20000117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L60	2	"6952781"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L61	66	L58 and (key or signature or certificate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L62	6	"6148404" and (public with key with (cipher\$5 or encipher\$5 or encrypt\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L63	2	"6952781"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L64	2	L62 and @ad<"20000117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46

L65	2	"20020071566"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L66	14	"20020071566" "20020071565" "20020071564" "20020071563" "20020071562" "20020071561" "20020071560"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L67	7	(("6901512") or ("6895391") or ("6615171") or ("5953700")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 12:46
L68	10	(L66 or L67) and L51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 12:46
L69	2	("6983381").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 13:00
L70	215	(L37 or L38 or L48 or L65 or L66 or L67 or L5 or L3 or L7 or L6 or L9 or L14 or L31 or L32 or L35 or L36 or L39 or L40 or L41 or L52 or L54 or L56 or L57 or L59 or L60 or L61 or L62 or L63 or L64 or L68 or L69)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 14:34
L71	191	L70 and @ad<"20010117"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 13:04

L72	7	L71 and @pd>"20060408"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 13:05
L73	7	L72 and (password or passphrase or pass or code or PIN)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 13:05
L74	4	L72 and (expir\$3 or inactiv\$3 or invalid\$5 or terminat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/09/20 13:06
L75	6	L72 and (expir\$3 or inactiv\$3 or invalid\$5 or terminat\$3 or active or current or valid\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 13:10
L76	11003	password with (expir\$3 or inactiv\$3 or invalid\$5 or terminat\$3 or active or current or valid\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/09/20 13:23
L77	9810	(key\$3 with certificate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 13:11
L78	808	L76 and L77 and signature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 13:11

L79	249	L78 and @ad<"20010117"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 13:26
L80	229	L79 and ((private or secret) with key\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 13:12
L81	195	L80 and (public with key\$3 with encrypt\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 13:13
L82	1252	(password with (expir\$3 or inactiv\$3 or invalid\$5 or terminat\$3 or active or current or valid\$5)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/09/20 13:23
L83	2	L82 and L81	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 13:25
L84	609	(inactiv\$3 or expir\$3) near4 password	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 13:38
L85	166	L84 and @ad<"20010117"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 13:42

L86	48	L85 and (certificate or signature)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 13:27
L87	43	L86 and (public or private or secret)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 13:28
L88	42	L87 and key\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 13:36
L89	7	L88 and password.ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 13:38
L90	9	"6094721" and @ad<"20010117"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 14:35
L91	1179	activat\$3 near4 password	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ÖR	ON	2006/09/20 14:35
L92	451	L91 and @ad<"20010117"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 14:42

L93	117	(activat\$3 near4 password).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 14:35
L94	69	L93 and L92	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 14:41
L95	0	L94 and certificate and signature and key\$3 and (public or private or secret)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 14:36
L96	0	L94 and certificate and signature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 14:36
L97	5	L94 and key\$3 and (public or private or secret)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 14:37
L98	457	(One with time with password).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 14:46
L99	209	L98 and @ad<"20010117"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 14:46

L100	44	L99 and (current or activ\$3 or inactiv\$3 or expir\$3 or old or new or status).ab.	US-PGPUB; USPAT; USOCR;	OR	ON	2006/09/20 14:47
		or status, rab.	FPRS; EPO; JPO; DERWENT; IBM_TDB			·
L101	928	(One with time with password) and password.ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR ,	ON	2006/09/20 14:46
L102	410	L101 and @ad<"20010117"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 14:47
L103	103	L102 and password.ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 14:47
L104	23	L103 and (current or activ\$3 or inactiv\$3 or expir\$3 or old or new or status).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 14:48
L105	3	("6496937").URPN.	USPAT	OR	ON	2006/09/20 14:48
L106	571	password.ti. and @pd>"20060101"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/09/20 14:49
L107	180	password.ti. and @pd>"20060601"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 14:53

L108	442	(776/5 ccls or 726/19 ccls or	US-PGPUB;	OR	ON	2006/00/20 14:55
1108	,	(726/5.ccls. or 726/18.ccls. or 726/19.ccls.) and @ad<"20010117"	USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	OK	ON	2006/09/20 14:55
			IBM_TDB			
L109	350	L108 and password	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 14:55
L110	174	L109 and password.ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 14:55
L1111	15	L110 and key\$3 and (private or secret or public) and certificate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/20 14:56

Page 14



Home | Login | Logout | Access Information | Alerts | Sitemap | Help

#### Welcome United States Patent and Trademark Office

Search Results

**BROWSE** 

**SEARCH** 

**IEEE XPLORE GUIDE** 

SUPPORT

Results for "(((one time password)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2000)" Your search matched 3 of 1415139 documents.

⊠s-mail ∰ printer to sodby

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search O	ptions						
View Session History		Modify Search					
New Search » Key		(((one time password) <in>metadata)) <and> (pyr &gt;= 1950 <and> pyr &lt;= 2000)</and></and></in>					
		☐ Check to search only within this results set  Display Format:					
IEEE JNL	IEEE Journal or Magazine						
IEE JNL	IEE Journal or Magazine	view selected items   Select All   Deselect All					
IEEE CNF	IEEE Conference Proceeding	1. Secure remote access to an Internet Web server					
IEE CNF	IEE Conference Proceeding	Gilmore, C.; Kormann, D.; Rubin, A.D.;  Network, IEEE					
IEEE STD	IEEE Standard	Volume 13, Issue 6, NovDec. 1999 Page(s):31 - 37 Digital Object Identifier 10.1109/65.806985					
		AbstractPlus   Full Text: PDF(624 KB) IEEE JNL Rights and Permissions					
		2. Security of a one-time signature Sung-Ming Yen; Electronics Letters Volume 33, Issue 8, 10 April 1997 Page(s):677 - 679 AbstractPlus   Full Text: PDF(444 KB) IEE JNL					
		3. CADIC: computer-aided design on Internet with cryptosystem     Dong-Eun Lee; Seung-II Kang; Jae-Hong Song; Juho Kim; Systems Man, and Cybernetics, 1998, 1998, IEEE International Conference	on.				

Rights and Permissions

Volume 3, 11-14 Oct. 1998 Page(s):2670 - 2674 vol.3 Digital Object Identifier 10.1109/ICSMC.1998.725063 AbstractPlus | Full Text: PDF(468 KB) | IEEE CNF

indicated by

Help Contact Us Privacy & Security IEEE.org © Copyright 2006 IEEE - All Rights Reserved



Home | Login | Logout | Access Information | Alerts | Sitemap | Help

#### Welcome United States Patent and Trademark Office

Search Results

**BROWSE** 

**SEARCH** 

**IEEE XPLORE GUIDE** 

SUPPORT

Results for "(((password and certificate)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2..." Your search matched 2 of 1415139 documents.

🖂 e-mail 🚐 printer friendly

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

#### » Search Options

View Session History

New Search

» Key

**Modify Search** 

(((password and certificate)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2000)

Select All Deselect All

Check to search only within this results set

⊥ view selected items

IEEE JNL

IEEE Journal or

Magazine

**IEE JNL** 

IEE Journal or Magazine

**IEEE CNF** 

**IEEE Conference** Proceeding

**IEE CNF** 

IEE Conference

Proceeding

IEEE STD IEEE Standard

1. Extended password key exchange protocols immune to dictionary attack

Jablon, D.P.;

Enabling Technologies: Infrastructure for Collaborative Enterprises, 1997., Proceedings Sixth

IEEE workshops on

18-20 June 1997 Page(s):248 - 255

Digital Object Identifier 10.1109/ENABL.1997.630822

AbstractPlus | Full Text: PDF(716 KB) IEEE CNF

Rights and Permissions

2. Practical authentication for distributed computing 

Linn, J.;

Research in Security and Privacy, 1990. Proceedings., 1990 IEEE Computer Society

Symposium on

7-9 May 1990 Page(s):31 - 40

Digital Object Identifier 10.1109/RISP.1990.63836

AbstractPlus | Full Text: PDF(804 KB) IEEE CNF

Rights and Permissions

Help Contact Us Privacy & Security IEEE.org

© Copyright 2006 IEEE - All Rights Reserved

indexed by 0 inspe



Home | Login | Logout | Access Information | Alerts | Sitemap | Help

#### Welcome United States Patent and Trademark Office

ା S	۵a	rch	R۵	SII	lt‹
	ca		L/C	эu	

**BROWSE** 

SEARCH

**IEEE XPLORE GUIDE** 

SUPPORT

Results for "(((password and signature)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 200..."
Your search matched 11 of 1415139 documents.

Serveil printer friendly

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

#### » Search Options

View Session History

New Search

» Key

IEEE JNL IEEE Journal or

Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference

Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

**Modify Search** 

(((password and signature)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2000)

Sporch >

☐ Check to search only within this results set

Display Format: 

© Citation C Citation & Abstract

view selected items

Select All Deselect All

1. Remote password authentication with smart cards

Chang, C.-C.; Wu, T.-C.;

Computers and Digital Techniques, IEE Proceedings-Volume 138, Issue 3, May 1991 Page(s):165 - 168

<u>AbstractPlus</u> | Full Text: <u>PDF</u>(236 KB) | **IEE JNL** 

2. A signature based password authentication method

Fung, G.S.K.; Lau, R.W.H.; Liu, J.N.K.;

Systems, Man, and Cybernetics, 1997. 'Computational Cybernetics and Simulation'., 1997 IEEE

International Conference on

Volume 1, 12-15 Oct. 1997 Page(s):631 - 636 vol.1

Digital Object Identifier 10.1109/ICSMC.1997.625824

AbstractPlus | Full Text: PDF(512 KB) IEEE CNF

Rights and Permissions

3. Security of a one-time signature

Sung-Ming Yen;

**Electronics Letters** 

Volume 33, Issue 8, 10 April 1997 Page(s):677 - 679

AbstractPlus | Full Text: PDF(444 KB) IEE JNL

4. Using smart cards to authenticate passwords

Chang, C.-C.; Hwang, R.-J.; Buehrer, D.;

Security Technology, 1993. Security Technology, Proceedings. Institute of Electrical and

Electronics Engineers 1993 International Carnahan Conference on

13-15 Oct. 1993 Page(s):154 - 156

Digital Object Identifier 10.1109/CCST.1993.386808

AbstractPlus | Full Text: PDF(252 KB) IEEE CNF

Rights and Permissions

5. Cryptographic authentication of passwords

Chang, C.-C.; Hwang, S.-J.;

Security Technology, 1991, Proceedings. 25th Annual 1991 IEEE International Carnahan

Conference on

1-3 Oct. 1991 Page(s):126 - 130

Digital Object Identifier 10.1109/CCST.1991.202203

AbstractPlus | Full Text: PDF(320 KB) IEEE CNF

Rights and Permissions

A comparative analysis of regional correlation, dynamic time warping, and skeletal tree matching for signature verification

Pattern Analysis and Machine Intelligence, IEEE Transactions on Volume 12, Issue 7, July 1990 Page(s):710 - 717 Digital Object Identifier 10.1109/34.56215 AbstractPlus | Full Text: PDF(648 KB) IEEE JNL Rights and Permissions 7. Non-interactive password authentications without password tables Hwang, Tzonelih; Chen, Yihwa; Laih, Chi Jung; TENCON 90. 1990 IEEE Region 10 Conference on Computer and Communication Systems 24-27 Sept. 1990 Page(s):429 - 431 vol.1 Digital Object Identifier 10.1109/TENCON.1990.152647 AbstractPlus | Full Text: PDF(228 KB) IEEE CNF Rights and Permissions 8. Yaksha: augmenting Kerberos with public key cryptography Network and Distributed System Security, 1995., Proceedings of the Symposium on 16-17 Feb. 1995 Page(s):132 - 143 Digital Object Identifier 10.1109/NDSS.1995.390639 AbstractPlus | Full Text: PDF(920 KB) IEEE CNF Rights and Permissions 9. An authenticate processing for the information system in Industrial Technology Research Farn, K.-J.; Chang, S.-S.; Ku, Y.-T.; Lee, J.-Y.; Tsai, C.-M.; Tseng, M.-C.; Waung, T.-T.; Security Technology, 1991. Proceedings. 25th Annual 1991 IEEE International Carnahan Conference on 1-3 Oct. 1991 Page(s):59 - 67 Digital Object Identifier 10.1109/CCST.1991.202191 AbstractPlus | Full Text: PDF(328 KB) IEEE CNF Rights and Permissions 10. Integrating the Data Encryption Standard into Computer Networks Smid, M.; Communications, IEEE Transactions on [legacy, pre - 1988] Volume 29, Issue 6, Jun 1981 Page(s):762 - 772 AbstractPlus | Full Text: PDF(1136 KB) | IEEE JNL Rights and Permissions 11. Automatic user authentication and access control Hawkes, P.; Designing Secure Systems, IEE Colloquium on 19 Jun 1992 Page(s):6/1 - 6/4 AbstractPlus | Full Text: PDF(148 KB) IEE CNF

Parizeau, M.; Plamondon, R.;

isissat by Öğ İnspeci Help Contact Us Privacy & Security IEEE.org

© Copyright 2006 IEEE – All Rights Reserved